

STW-SUS2T (TiCN)

碳化鈦高鈷立銑刀 標準型2刃

HSS-Co End Mills, Standard, 2 Flute, TiCN coating



SPECIFICATION


單位 Unit : mm

刃徑 Flute Diameter	全長 Overall Length	刃長 Flute Length	柄徑 Shank Diameter
1.0	50	2	6
1.5	50	3	6
2.0	50	7	6
2.5	50	7	6
3.0	50	9	6
3.5	60	12	8
4.0	60	12	8
4.5	60	15	8
5.0	60	15	8
5.5	60	15	8
6.0	60	15	8
6.5	65	20	10
7.0	65	20	10
7.5	65	20	10
8.0	65	20	10
8.5	75	25	10
9.0	75	25	10
9.5	75	25	10
10.0	75	25	10
11.0	80	30	12
12.0	80	30	12
13.0	90	35	16
14.0	90	35	16
15.0	95	40	16
16.0	95	40	16
17.0	105	40	20
18.0	105	40	20
19.0	110	45	20
20.0	110	45	20
21.0	110	45	20
22.0	110	45	20
23.0	120	50	25
24.0	120	50	25
25.0	120	50	25

STW-SUS2TL (TiCN)

碳化鈦高鈷立銑刀 長刃型2刃

HSS-Co End Mills, Long Flute, 2 Flute, TiCN coating



SPECIFICATION

單位 Unit : mm

刃徑 Flute Diameter	全長 Overall Length	刃長 Flute Length	柄徑 Shank Diameter
3.0	60	15	6
4.0	60	20	8
5.0	65	25	8
6.0	65	25	8
7.0	80	35	10
8.0	80	35	10
9.0	95	45	10
10.0	95	45	10
11.0	105	55	12
12.0	105	55	12
13.0	110	55	16
14.0	110	55	16
15.0	120	65	16
16.0	120	65	16
17.0	130	65	20
18.0	130	65	20
19.0	140	75	20
20.0	140	75	20
21.0	140	75	20
22.0	140	75	20
23.0	160	90	25
24.0	160	90	25
25.0	160	90	25

STW-SUS4T (TiCN)

碳化鈦高鈷立銑刀 標準型4刃

HSS-Co End Mills, Standard, 4 Flute, TiCN coating



SPECIFICATION

單位 Unit : mm

刃徑 Flute Diameter	全長 Overall Length	刃長 Flute Length	柄徑 Shank Diameter
2.5	50	7	6
3.0	50	9	6
3.5	60	12	8
4.0	60	12	8
4.5	60	15	8
5.0	60	15	8
5.5	60	15	8
6.0	60	15	8
6.5	65	20	10
7.0	65	20	10
7.5	65	20	10
8.0	65	20	10
8.5	75	25	10
9.0	75	25	10
9.5	75	25	10
10.0	75	25	10
11.0	80	30	12
12.0	80	30	12
13.0	90	35	16
14.0	90	35	16
15.0	95	40	16
16.0	95	40	16
17.0	105	40	20
18.0	105	40	20
19.0	110	45	20
20.0	110	45	20
21.0	110	45	20
22.0	110	45	20
23.0	120	50	25
24.0	120	50	25
25.0	120	50	25

STW-SUS4TL (TiCN)

碳化鈦高鈷立銑刀 長刃型4刃

HSS-Co End Mills, Long Flute, 4 Flute, TiCN coating



SPECIFICATION

單位 Unit : mm

刃徑 Flute Diameter	全長 Overall Length	刃長 Flute Length	柄徑 Shank Diameter
3.0	60	15	6
4.0	60	20	8
5.0	65	25	8
6.0	65	25	8
7.0	80	35	10
8.0	80	35	10
9.0	95	45	10
10.0	95	45	10
11.0	105	55	12
12.0	105	55	12
13.0	110	55	16
14.0	110	55	16
15.0	120	65	16
16.0	120	65	16
17.0	130	65	20
18.0	130	65	20
19.0	140	75	20
20.0	140	75	20
21.0	140	75	20
22.0	140	75	20
23.0	160	90	25
24.0	160	90	25
25.0	160	90	25

STN-TICN (氮碳化鈦)

碳化鈦細齒高鈷 粗銑刀

HSS-Co End Mills, Roughing, Fine Pitch, TiCN coating



STNL-TICN (氮碳化鈦)

碳化鈦細齒高鈷 長刃粗銑刀

HSS-Co End Mills, Long Flute, Roughing, Fine Pitch, TiCN coating



STN-TICN SPECIFICATION

單位 Unit : mm

刃徑 Flute Diameter	全長 Overall Length	刃長 Flute Length	柄徑 Shank Diameter
S4 6	57	12	6
S4 7	69	19	8
S4 8	69	19	8
S4 9	75	25	10
S4 10	75	25	10
S4 11	85	30	12
S4 12	85	30	12
S4 13	85	32	12
S4 14	85	32	12
S4 15	90	36	16
S4 16	90	36	16
S4 17	90	36	16
S4 18	90	36	16
S4 19	110	45	20
S4 20	110	45	20
S4 22	110	45	20
S4 25	125	50	25
S5 28	125	55	25
S5 30	125	55	25
S6 32	140	63	32

STNL-TICN SPECIFICATION

單位 Unit : mm

刃徑 Flute Diameter	全長 Overall Length	刃長 Flute Length	柄徑 Shank Diameter
S4 8	90	35	8
S4 10	100	45	10
S4 12	110	53	12
S4 14	110	53	12
S4 16	123	63	16
S4 18	123	63	16
S4 20	140	75	20
S4 22	140	78	20
S4 25	160	95	25
S5 28	160	95	25
S5 30	166	90	25
S6 32	186	106	32

ST-TICN (氮碳化鈦)

碳化鈦粗齒高鈷 粗銑刀

HSS-Co End Mills, Roughing, Coarse Pitch, TiCN coating



STL-TICN (氮碳化鈦)

碳化鈦粗齒高鈷 長刃粗銑刀

HSS-Co End Mills, Long Flute, Roughing, Coarse Pitch, TiCN coating



ST-TICN SPECIFICATION

單位 Unit : mm

刃徑 Flute Diameter	全長 Overall Length	刃長 Flute Length	柄徑 Shank Diameter
S4 6	57	12	6
S4 7	69	19	8
S4 8	69	19	8
S4 9	75	25	10
S4 10	75	25	10
S4 11	85	30	12
S4 12	85	30	12
S4 13	85	32	12
S4 14	85	32	12
S4 15	90	36	16
S4 16	90	36	16
S4 17	90	36	16
S4 18	90	36	16
S4 19	110	45	20
S4 20	110	45	20
S4 22	110	45	20
S4 25	125	50	25
S5 28	125	55	25
S5 30	125	55	25
S6 32	140	63	32
S6 35	150	70	32
S6 40	160	70	32

STL-TICN SPECIFICATION

單位 Unit : mm

刃徑 Flute Diameter	全長 Overall Length	刃長 Flute Length	柄徑 Shank Diameter
S4 8	90	35	8
S4 10	100	45	10
S4 12	110	53	12
S4 14	110	53	12
S4 16	123	63	16
S4 18	123	63	16
S4 20	140	75	20
S4 22	140	78	20
S4 25	160	95	25
S5 28	160	95	25
S5 30	166	90	25
S6 32	186	106	32