


超微粒鎢鋼鑽頭

超微粒鎢鋼鑽頭

Tungsten Carbide Drill Bit



STR

Dc h7	Lc mm	L mm	Dc h7	Lc mm	L mm	Dc h7	Lc mm	L mm
1.00	6	26	3.00	16	46	7.00	34	74
1.05	6	26	3.10	18	49	7.10	34	74
1.10	7	28	3.20	18	49	7.20	34	74
1.15	7	28	3.30	18	49	7.30	34	74
1.20	8	30	3.40	20	52	7.40	34	74
1.25	8	30	3.50	20	52	7.50	34	74
1.30	8	30	3.60	20	52	7.60	37	79
1.35	9	32	3.70	20	52	7.70	37	79
1.40	9	32	3.80	22	55	7.80	37	79
1.45	9	32	3.90	22	55	7.90	37	79
1.50	9	32	4.00	22	55	8.00	37	79
1.55	10	34	4.10	22	55	8.10	37	79
1.60	10	34	4.20	22	55	8.20	37	79
1.65	10	34	4.30	24	58	8.30	37	79
1.70	10	34	4.40	24	58	8.40	37	79
1.75	11	36	4.50	24	58	8.50	37	79
1.80	11	36	4.60	24	58	8.60	40	84
1.85	11	36	4.70	24	58	8.70	40	84
1.90	11	36	4.80	26	62	8.80	40	84
1.95	12	38	4.90	26	62	8.90	40	84
2.00	12	38	5.00	26	62	9.00	40	84
2.05	12	38	5.10	26	62	9.10	40	84
2.10	12	38	5.20	26	62	9.20	40	84
2.15	13	40	5.30	26	62	9.30	40	84
2.20	13	40	5.40	28	66	9.40	40	84
2.25	13	40	5.50	28	66	9.50	40	84
2.30	13	40	5.60	28	66	9.60	43	89
2.35	13	40	5.70	28	66	9.70	43	89
2.40	14	43	5.80	28	66	9.80	43	89
2.45	14	43	5.90	28	66	9.90	43	89
2.50	14	43	6.00	28	66	10.00	43	89
2.55	14	43	6.10	31	70	10.20	43	89
2.60	14	43	6.20	31	70	10.50	43	89
2.65	14	43	6.30	31	70	10.80	47	95
2.70	16	46	6.40	31	70	11.00	47	95
2.75	16	46	6.50	31	70	11.50	47	95
2.80	16	46	6.60	31	70	12.00	51	102
2.85	16	46	6.70	31	70	12.50	51	102
2.90	16	46	6.80	34	74	13.00	51	102
2.95	16	46	6.90	34	74			



Work Material



超微粒長刃鎢鋼鑽頭

超微粒長刃鎢鋼鑽頭

Long Flute Carbide Drill




STRL

d mm	L1 mm	L mm	d mm	L1 mm	L mm	d mm	L1 mm	L mm
1.0	12	34	5.1	52	86	9.2	81	125
1.1	14	36	5.2	52	86	9.3	81	125
1.2	16	38	5.3	52	86	9.4	81	125
1.3	16	38	5.4	57	93	9.5	81	125
1.4	18	40	5.5	57	93	9.6	87	133
1.5	18	40	5.6	57	93	9.7	87	133
1.6	20	43	5.7	57	93	9.8	87	133
1.7	20	43	5.8	57	93	9.9	87	133
1.8	22	46	5.9	57	93	10.0	87	133
1.9	22	46	6.0	57	93	10.1	87	133
2.0	24	49	6.1	63	101	10.2	87	133
2.1	24	49	6.2	63	101	10.3	87	133
2.2	27	53	6.3	63	101	10.4	87	133
2.3	27	53	6.4	63	101	10.5	87	133
2.4	30	57	6.5	63	101	10.6	94	142
2.5	30	57	6.6	63	101	10.7	94	142
2.6	30	57	6.7	63	101	10.8	94	142
2.7	33	61	6.8	69	109	10.9	94	142
2.8	33	61	6.9	69	109	11.0	94	142
2.9	33	61	7.0	69	109	11.1	94	142
3.0	33	61	7.1	69	109	11.2	94	142
3.1	36	65	7.2	69	109	11.3	94	142
3.2	36	65	7.3	69	109	11.4	94	142
3.3	36	65	7.4	69	109	11.5	94	142
3.4	39	70	7.5	69	109	11.6	101	151
3.5	39	70	7.6	75	117	11.7	101	151
3.6	39	70	7.7	75	117	11.8	101	151
3.7	39	70	7.8	75	117	11.9	101	151
3.8	43	75	7.9	75	117	12.0	101	151
3.9	43	75	8.0	75	117	12.1	101	151
4.0	43	75	8.1	75	117	12.2	101	151
4.1	43	75	8.2	75	117	12.3	101	151
4.2	43	75	8.3	75	117	12.4	101	151
4.3	47	80	8.4	75	117	12.5	101	151
4.4	47	80	8.5	75	117	12.6	101	151
4.5	47	80	8.6	81	125	12.7	101	151
4.6	47	80	8.7	81	125	12.8	101	151
4.7	47	80	8.8	81	125	12.9	101	151
4.8	52	86	8.9	81	125	13.0	101	151
4.9	52	86	8.0	81	125	14.0	108	160
5.0	52	86	9.1	81	125	15.0	114	169

直柄鎢鋼機械鉸刀

直柄鎢鋼機械鉸刀

Tungsten Carbide Straight Shank Reamer



SCR

Dc H7	Lc mm	刃數	L mm	Dc H7	Lc mm	刃數	L mm	Dc H7	Lc mm	刃數	L mm
3.0	15	4	61	6.1	28	6	101	9.2	36	6	125
3.1	16	4	65	6.2	28	6	101	9.3	36	6	125
3.2	16	4	65	6.3	28	6	101	9.4	36	6	125
3.3	16	4	65	6.4	28	6	101	9.5	36	6	125
3.4	18	4	70	6.5	28	6	101	9.6	38	6	133
3.5	18	4	70	6.6	28	6	101	9.7	38	6	133
3.6	18	4	70	6.7	31	6	109	9.8	38	6	133
3.7	18	4	70	6.8	31	6	109	9.9	38	6	133
3.8	19	4	75	6.9	31	6	109	10.0	38	6	133
3.9	19	4	75	7.0	31	6	109	10.1	38	6	133
4.0	19	4	75	7.1	31	6	109	10.2	38	6	133
4.1	19	4	75	7.2	31	6	109	10.3	38	6	133
4.2	19	4	75	7.3	31	6	109	10.4	38	6	133
4.3	21	4	80	7.4	31	6	109	10.5	38	6	133
4.4	21	4	80	7.5	31	6	109	10.6	38	6	133
4.5	21	4	80	7.6	33	6	117	10.7	41	6	142
4.6	21	6	80	7.7	33	6	117	10.8	41	6	142
4.7	21	6	80	7.8	33	6	117	10.9	41	6	142
4.8	23	6	86	7.9	33	6	117	11.0	41	6	142
4.9	23	6	86	8.0	33	6	117	11.1	41	6	142
5.0	23	6	86	8.1	33	6	117	11.2	41	6	142
5.1	23	6	86	8.2	33	6	117	11.3	41	6	142
5.2	23	6	86	8.3	33	6	117	11.4	41	6	142
5.3	23	6	86	8.4	33	6	117	11.5	41	6	142
5.4	26	6	93	8.5	33	6	117	11.6	41	6	142
5.5	26	6	93	8.6	36	6	125	11.7	41	6	142
5.6	26	6	93	8.7	36	6	125	11.8	41	6	142
5.7	26	6	93	8.8	36	6	125	11.9	44	6	151
5.8	26	6	93	8.9	36	6	125	12.0	44	6	151
5.9	26	6	93	9.0	36	6	125				
6.0	26	6	93	9.1	36	6	125				

鎢鋼鳩尾槽銑刀45°/60°

鎢鋼鳩尾槽銑刀45°/60°

Carbide Poison Tail T-Slot Cutters 45°/60°



編號 (Number)	角度 (θ°)	外徑 (D)	刃長 (H)	頸徑 (N)	頸長 (NL)	刃數 (T)	柄徑 (d)	全長 (L)
STEP4503	45°	3	0.8	1.4	3	4	6	60
STEP4504		4	1	2	3	4	6	60
STEP4505		5	1.2	2.5	4	4	6	60
STEP4506		6	1.4	3	4	4	6	60
STEP4508		8	1.9	4	5	4/6	8	60
STEP4510		10	2.4	5	6	4/6	10	75
STEP4512		12	2.9	6	7	4/6	12	75
STEP6003	60°	3	1.2	1.5	3	4	6	60
STEP6004		4	1.6	2	3.5	4	6	60
STEP6005		5	2.2	2.3	4	4	6	60
STEP6006		6	2.7	2.7	4	4	6	60
STEP6008		8	3.7	3.6	5	4/6	8	60
STEP6010		10	4.6	4.5	6	4/6	10	75
STEP6012		12	5.6	5.4	7	4/6	12	75

鎢鋼等角鳩尾槽銑刀60°/90°

鎢鋼等角鳩尾槽銑刀60°/90°

Carbide W-Angular Chamfer Cutters 60°/90°




編號 (Number)	角度 (θ°)	外徑 (D)	刃長 (H)	頸徑 (N)	頸長 (NL)	刃數 (T)	柄徑 (d)	全長 (L)
STEW6006	60°	6	1.8	2.7	4	4	6	60
STEW6008		8	2.4	3.6	5	6	8	60
STEW6010		10	3.1	4.5	6	6	10	75
STEW6012		12	3.7	5.4	7	6	12	75
STEW9006	90°	6	2.8	3	4	4	6	60
STEW9008		8	3.8	4	5	6	8	60
STEW9010		10	4.8	5	6	6	10	75
STEW9012		12	5.8	6	7	6	12	75

鎢鋼外圓槽銑刀

鎢鋼外圓槽銑刀

Carbide Convex Cutters



編號 (Number)	角度 (ϕ°)	外徑 (D)	刃長 (H)	頸徑 (N)	頸長 (NL)	刃數 (T)	柄徑 (d)	全長 (L)
STETC0403R	0.3R	4	0.6	2	3.5	4	6	50
STETC0405R	0.5R	4	1	2	3.5	4	6	50
STETC0410R	1R	4	2	2	3.5	4	6	50
STETC0503R	0.3R	5	0.6	2.2	3.5	4	6	50
STETC0505R	0.5R	5	1	2.2	3.5	4	6	50
STETC0510R	1R	5	2	2.2	3.5	4	6	50
STETC0603R	0.3R	6	0.6	2.7	4	4	6	50
STETC0605R	0.5R	6	1	2.7	4	4	6	50
STETC0610R	1R	6	2	2.7	4	4	6	50
STETC0803R	0.3R	8	0.6	3.6	5	6	8	60
STETC0805R	0.5R	8	1	3.6	5	6	8	60
STETC0810R	1R	8	2	3.6	5	6	8	60
STETC1003R	0.3R	10	0.6	4.5	6	6	10	75
STETC1005R	0.5R	10	1	4.5	6	6	10	75
STETC1010R	1R	10	2	4.5	6	6	10	75
STETC1015R	1.5R	10	3	4.5	6	6	10	75
STETC1020R	2R	10	4	4.5	6	6	10	75
STETC1203R	0.3R	12	0.6	5.5	6	6	12	75
STETC1205R	0.5R	12	1	5.5	6	6	12	75
STETC1210R	1R	12	2	5.5	6	6	12	75
STETC1215R	1.5R	12	3	5.5	6	6	12	75
STETC1220R	2R	12	4	5.5	6	6	12	75

(外徑16mm以上，為焊接設計)

編號 (Number)	角度 (ϕ°)	外徑 (D)	刃長 (H)	頸徑 (N)	頸長 (NL)	刃數 (T)	柄徑 (d)	全長 (L)
STETC1605R	0.5R	16	1	8	10	10	12	100
STETC1610R	1R	16	2	8	10	10	12	100
STETC1615R	1.5R	16	3	8	10	10	12	100
STETC1620R	2R	16	4	8	10	10	12	100
STETC1630R	3R	16	6	10	10	10	12	100
STETC2005R	0.5R	20	1	10	14	12	12	100
STETC2010R	1R	20	2	10	14	12	12	100
STETC2015R	1.5R	20	3	10	14	12	12	100
STETC2020R	2R	20	4	10	14	12	12	100
STETC2030R	3R	20	6	12	14	12	12	100
STETC2505R	0.5R	25	1	12	16	16	16	100
STETC2510R	1R	25	2	12	16	16	16	100
STETC2515R	1.5R	25	3	12	16	16	16	100
STETC2520R	2R	25	4	12	16	16	16	100
STETC2530R	3R	25	6	12	16	16	16	100
STETC3005R	0.5R	30	1	15	18	16	16	100
STETC3010R	1R	30	2	15	18	16	16	100
STETC3015R	1.5R	30	3	15	18	16	16	100
STETC3020R	2R	30	4	15	18	16	16	100
STETC3030R	3R	30	6	15	18	16	16	100

鎢鋼T型銑刀

鎢鋼T型銑刀

Carbide T-Shape Cutters




編號 (Number)	外徑 (D)	刃長 (H)	頸徑 (N)	頸長 (NL)	刃數 (T)	柄徑 (d)	全長 (L)
STET0405	4	0.5	2.5	3.5	4	4	50
STET0406	4	0.6	2.5	3.5	4	4	50
STET0407	4	0.7	2.5	3.5	4	4	50
STET0408	4	0.8	2.5	3.5	4	4	50
STET0409	4	0.9	2.5	3.5	4	4	50
STET0410	4	1	2.5	3.5	4	4	50
STET0415	4	1.5	2.5	3.5	4	4	50
STET0420	4	2	2.5	3.5	4	4	50
STET0505	5	0.5	2.5	4	4	6	50
STET0506	5	0.6	2.5	4	4	6	50
STET0507	5	0.7	2.5	4	4	6	50
STET0508	5	0.8	2.5	4	4	6	50
STET0509	5	0.9	2.5	4	4	6	50
STET0510	5	1	2.5	4	4	6	50
STET0515	5	1.5	2.5	4	4	6	50
STET0520	5	2	2.5	4	4	6	50
STET0605	6	0.5	3	4	6	6	50
STET0606	6	0.6	3	4	6	6	50
STET0607	6	0.7	3	4	6	6	50
STET0608	6	0.8	3	4	6	6	50
STET0609	6	0.9	3	4	6	6	50
STET0610	6	1	3	4	6	6	50
STET0615	6	1.5	3	4	6	6	50
STET0620	6	2	3	4	6	6	50
STET0810	8	1	4	4	6	8	60
STET0815	8	1.5	4	4	6	8	60
STET0820	8	2	4	4	6	8	60
STET1010	10	1	5	6	6	10	75
STET1015	10	1.5	5	6	6	10	75
STET1020	10	2	5	6	6	10	75
STET1030	10	3	5	6	6	10	75
STET1210	12	1	6	7	6	12	75
STET1215	12	1.5	6	7	6	12	75
STET1220	12	2	6	7	6	12	75
STET1230	12	3	6	7	6	12	75

鎢鋼螺旋銑牙刀-ISO規格(內牙)

鎢鋼螺旋銑牙刀-ISO規格(內牙)

Carbide Thread Milling Tools-Helical Flutes-ISO Metric (Internal)




編號 (Number)	牙尺寸 (Thread Size)		螺距 (Pitch)	外徑 (D)	刃長 (H)	刃數 (T)	柄徑 (d)	全長 (L)
	粗牙 (COARSE)	細牙 (FINE)						
STFSL0605		M7.0x0.5	0.5	5.9	15	3	6	60
STFSL036075	M4.5x0.75	M5.0x0.75	0.75	3.6	10.1	3	6	60
STFSL06075		M8.0x0.75	0.75	5.9	15	3	6	60
STFSL08075		M10.0x0.75	0.75	7.9	20	3	8	60
STFSL0408	M5.0x0.8		0.8	3.9	10	3	6	60
STFSL04810	M6.0x1.0	M7.0x1.0	1	4.8	11.5	3	6	60
STFSL0810		M10.0x1.0	1	7.9	20	3	8	60
STFSL1010		M12.0x1.0	1	9.9	25	4	10	75
STFSL06125	M8.0x1.25	M9.0x1.25	1.25	5.9	15	3	6	60
STFSL0815	M10.0x1.5	M11.0x1.5	1.5	7.9	20	3	8	60
STFSL1015		M13.0x1.5	1.5	9.9	25	4	10	75
STFSL1215		M15.0x1.5	1.5	11.9	25	4	12	75
STFSL1615		M20.0x1.5	1.5	15.9	40	4	16	100
STFSL10175	M12.0x1.75		1.75	9.9	25	4	10	75
STFSL1020	M14.0x2.0		2	9.9	25	4	10	75
STFSL1220	M16.0x2.0		2	11.9	25	4	12	75
STFSL1620		M20.0x2.0	2	15.9	40	4	16	100
STFSL1625	M20.0x2.5		2.5	15.9	40	4	16	100
STFSL1630	M24.0x3.0	M27.0x3.0	3	15.9	40	4	16	100
STFSL2030	M27.0x3.0		3	19.9	50	4	20	100

鎢鋼銑牙刀-部份成型60°(內牙/外牙)

鎢鋼銑牙刀-部份成型60°(內牙/外牙)

Carbide Thread Milling Tools-Partial Profile 60° (Internal/External)




編號 (Number)	間距 (Pitch Range)		外徑 (D)	有效長 (H)	刃數 (T)	柄徑 (d)	全長 (L)
	MM	TPI					
STF60T0195	0.35-0.6	72-40	1.95	6	3	3	50
STF60T0245	0.5-0.8	48-32	2.45	7.7	3	3	50
STF60T0315	0.5-0.8	48-32	3.15	10	3	4	50
STF60T0400	0.5-1.0	48-24	4	12	3	4	50
STF60T0470	0.5-1.25	48-20	4.7	15	3	6	60
STF60T0600	0.5-1.25	48-20	6	18	3	6	60
STF60T0800	0.75-1.5	32-16	8	24	3	8	60
STF60T1000	1.0-2.5	24-10	10	30	4	10	100
STF60T1200	1.0-2.5	24-10	12	36	4	12	100
STF60T1600	1.0-2.5	24-10	16	49	4	16	100

鎢鋼平底高速鑽頭

鎢鋼平底高速鑽頭

Carbide High Speed Drill




編號 (Number)	外徑 (D)	刃長 (H)	有效長 (NL)	刃數 (T)	柄徑 (d)	全長 (L)
STJP010	1.0	3.3	3.6	2	3	50
STJP011	1.1	3.5	3.9	2	3	50
STJP012	1.2	3.9	4.2	2	3	50
STJP013	1.3	4.2	4.5	2	3	50
STJP014	1.4	4.6	4.9	2	3	50
STJP015	1.5	4.9	5.2	2	3	50
STJP016	1.6	5.2	5.5	2	3	50
STJP017	1.7	5.5	5.8	2	3	50
STJP018	1.8	5.8	6.1	2	3	50
STJP019	1.9	6.2	6.5	2	3	50
STJP020	2.0	9	9.8	2	4	50
STJP021	2.1	11	11.4	2	4	50
STJP022	2.2	11	11.4	2	4	50
STJP023	2.3	11	11.5	2	4	50
STJP024	2.4	12	12.6	2	4	50
STJP025	2.5	12	12.7	2	4	50
STJP026	2.6	12	12.8	2	4	50
STJP027	2.7	14	14.9	2	4	50
STJP028	2.8	14	15	2	4	50
STJP029	2.9	14	15	2	4	50
STJP030	3.0	14	14.4	2	6	60
STJP031	3.1	15	15.5	2	6	60
STJP032	3.2	15	15.6	2	6	60
STJP033	3.3	15	15.7	2	6	60
STJP034	3.4	16	16.2	2	6	60
STJP035	3.5	16	16.3	2	6	60
STJP036	3.6	16	16.4	2	6	60
STJP037	3.7	18	18	2	6	60
STJP038	3.8	18	18.1	2	6	60
STJP039	3.9	18	18.2	2	6	60
STJP040	4.0	18	18.3	2	6	60

編號 (Number)	外徑 (D)	刃長 (H)	有效長 (NL)	刃數 (T)	柄徑 (d)	全長 (L)
STJP041	4.1	19	20.4	2	6	60
STJP042	4.2	19	20.4	2	6	60
STJP043	4.3	19	20.5	2	6	60
STJP044	4.4	21	22.6	2	6	60
STJP045	4.5	21	22.7	2	6	60
STJP046	4.6	21	22.8	2	6	60
STJP047	4.7	22	22.9	2	6	60
STJP048	4.8	22	23	2	6	60
STJP049	4.9	22	23	2	6	60
STJP050	5.0	23	23.1	2	6	75
STJP051	5.1	24	26.2	2	6	75
STJP052	5.2	24	26.3	2	6	75
STJP053	5.3	24	26.4	2	6	75
STJP054	5.4	25	27.5	2	6	75
STJP055	5.5	25	27.6	2	6	75
STJP056	5.6	25	27.7	2	6	75
STJP057	5.7	27	29.7	2	6	75
STJP058	5.8	27	29.8	2	6	75
STJP059	5.9	27	29.9	2	6	75
STJP060	6.0	27	30	2	6	75
STJP061	6.1	28	31	2	8	75
STJP062	6.2	28	31	2	8	75
STJP063	6.3	28	31	2	8	75
STJP064	6.4	30	33	2	8	75
STJP065	6.5	30	33	2	8	75
STJP066	6.6	30	33	2	8	75
STJP067	6.7	31	33	2	8	75
STJP068	6.8	31	33	2	8	75
STJP069	6.9	31	33	2	8	75
STJP070	7.0	32	33	2	8	75

鎢鋼平底高速鑽頭

鎢鋼平底高速鑽頭

Carbide High Speed Drill



編號 (Number)	外徑 (D)	刃長 (H)	有效長 (NL)	刃數 (T)	柄徑 (d)	全長 (L)
STJP071	7.1	33	36	2	8	75
STJP072	7.2	33	36	2	8	75
STJP073	7.3	33	36	2	8	75
STJP074	7.4	34	39	2	8	75
STJP075	7.5	34	39	2	8	75
STJP076	7.6	34	39	2	8	75
STJP077	7.7	36	39	2	8	75
STJP078	7.8	36	40	2	8	80
STJP079	7.9	36	40	2	8	80
STJP080	8.0	36	40	2	8	80
STJP081	8.1	37	42	2	10	100
STJP082	8.2	37	42	2	10	100
STJP083	8.3	37	42	2	10	100
STJP084	8.4	39	42	2	10	100
STJP085	8.5	39	42	2	10	100
STJP086	8.6	39	42	2	10	100
STJP087	8.7	40	42	2	10	100
STJP088	8.8	40	42	2	10	100
STJP089	8.9	40	42	2	10	100
STJP090	9.0	41	42	2	10	100
STJP091	9.1	42	45	2	10	100
STJP092	9.2	42	45	2	10	100
STJP093	9.3	42	45	2	10	100
STJP094	9.4	43	45	2	10	100
STJP095	9.5	43	45	2	10	100
STJP096	9.6	43	45	2	10	100
STJP097	9.7	45	48	2	10	100
STJP098	9.8	45	48	2	10	100
STJP099	9.9	45	48	2	10	100
STJP100	10.0	45	48	2	10	100
STJP101	10.1	46	49	2	12	100
STJP102	10.2	46	49	2	12	100
STJP103	10.3	46	49	2	12	100

編號 (Number)	外徑 (D)	刃長 (H)	有效長 (NL)	刃數 (T)	柄徑 (d)	全長 (L)
STJP104	10.4	48	51	2	12	100
STJP105	10.5	48	51	2	12	100
STJP106	10.6	48	51	2	12	100
STJP107	10.7	49	51	2	12	100
STJP108	10.8	49	51	2	12	100
STJP109	10.9	49	51	2	12	100
STJP110	11.0	50	51	2	12	100
STJP111	11.1	51	54	2	12	100
STJP112	11.2	51	54	2	12	100
STJP113	11.3	51	54	2	12	100
STJP114	11.4	52	54	2	12	100
STJP115	11.5	52	54	2	12	100
STJP116	11.6	52	54	2	12	100
STJP117	11.7	54	57	2	12	100
STJP118	11.8	54	57	2	12	100
STJP119	11.9	54	57	2	12	100
STJP120	12.0	54	57	2	12	100
STJP125	12.5	57	60	2	12	125
STJP130	13.0	59	60	2	12	125
STJP135	13.5	61	63	2	12	125
STJP140	14.0	63	66	2	12	125
STJP145	14.5	66	69	2	12	125
STJP150	15.0	68	69	2	12	125
STJP155	15.5	70	72	2	12	125
STJP160	16.0	72	75	2	16	125
STJP165	16.5	75	78	2	16	125
STJP170	17.0	77	79	2	16	150
STJP175	17.5	79	81	2	16	150
STJP180	18.0	81	84	2	16	150
STJP185	18.5	84	87	2	16	150
STJP190	19.0	86	87	2	16	150
STJP195	19.5	88	91	2	16	150
STJP200	20.0	90	93	2	20	150