



微小徑鎢鋼內徑車刀

非標準品可訂製



產品代表編碼

M T R 3 R0.2 L10

M=Micro boring cutter
C=CMR

R=Right hand
L=zuo hand

KNIFE DIAMETER

3=3.0mm
4=4.0mm
5=5.0mm
6=6.0mm
7=7.0mm
8=8.0mm
10=10.0mm




MACHINING LENGTH

L5=5mm
L10=10mm
L15=15mm
L22=22mm
L35=35mm

T=Turning
T=Copying and boring
Q=Copying and boring
I=Thread machining
D=thread end, groove, chamfer
C=Chamfer and hole
G=Cutting groove
K=Circular arc groove cutting
F=Axial groove cutting
Z=Axial arc groove cutting
X=Reverse turning/Turning inner circle
U=Profile turning
W=chamfering and profiling
V=axial cutting depth groove
M=Multi functional micro knife



Vehicle control
R02=Knife tip radius r is 0.2mm
Thread machining (pan pitch) A60, A55TR
Fixed pitch ISO UN NPT ACME
Slot processing (slot width)
B1.0=1.0mm
B1.5=15mm
B2.0=2.0mm

MNR 微小徑車削鎢鋼內徑車刀





| D | ORDER NO | L | L1 | R | F | MINIMUM APERTURE | CUTTER BAR | PRICE |
|----------------|-----------------|----|------|------|-----|------------------|------------|-------|
| 3.0 | MNR 2 R0.15 L5 | 50 | 5 | 0.15 | 0.8 | 2.1 | SHB...H3 | 21 |
| | MNR 2 R0.15 L10 | 50 | 10 | 0.15 | 0.8 | 2.1 | | |
| 3.0 | MNR 3 R0.1 L10 | 50 | 10 | 0.10 | 1.3 | 3.1 | SHB...H3 | 21 |
| | MNR 3 R0.1 L15 | 50 | 15 | 0.10 | 1.3 | 3.1 | | |
| | MNR 3 R0.2 L10 | 50 | 10 | 0.20 | 1.3 | 3.1 | | |
| 4.0 | MNR 3 R0.2 L15 | 50 | 15 | 0.20 | 1.3 | 3.1 | SHB...H4 | 22 |
| | MNR 4 R0.15 L5 | 50 | 5 | 0.15 | 1.7 | 4.1 | | |
| | MNR 4 R0.15 L10 | 50 | 10 | 0.15 | 1.7 | 4.1 | | |
| | MNR 4 R0.1 L10 | 50 | 10 | 0.10 | 1.7 | 4.1 | | |
| | MNR 4 R0.1 L15 | 50 | 15 | 0.10 | 1.7 | 4.1 | | |
| | MNR 4 R0.1 L22 | 50 | 22 | 0.10 | 1.7 | 4.1 | | |
| | MNR 4 R0.2 L10 | 50 | 10 | 0.20 | 1.7 | 4.1 | | |
| | MNR 4 R0.2 L15 | 50 | 15 | 0.20 | 1.7 | 4.1 | | |
| MNR 4 R0.2 L22 | 50 | 22 | 0.20 | 1.7 | 4.1 | | | |

MNR 微小徑車削鎢鋼內徑車刀





| D | ORDER NUMBER | L | L1 | R | F | MINIMUM DIAMETER | CUTTER BAR | PRICE |
|------|----------------|----|----|------|-----|------------------|------------|-------|
| 5.0 | MNR 5 R0.1 L15 | 50 | 15 | 0.10 | 2.1 | 5.1 | SHB...H5 | 34 |
| | MNR 5 R0.1 L22 | 50 | 22 | 0.10 | 2.1 | 5.1 | | |
| | MNR 5 R0.1 L30 | 76 | 30 | 0.10 | 2.1 | 5.1 | | 42 |
| | MNR 5 R0.2 L15 | 50 | 15 | 0.20 | 2.1 | 5.1 | | 34 |
| | MNR 5 R0.2 L22 | 50 | 22 | 0.20 | 2.1 | 5.1 | | |
| | MNR 5 R0.2 L30 | 76 | 30 | 0.20 | 2.1 | 5.1 | | |
| 6.0 | MNR 6 R0.1 L15 | 50 | 15 | 0.10 | 2.8 | 6.1 | SHB...H6 | 36 |
| | MNR 6 R0.1 L22 | 50 | 22 | 0.10 | 2.8 | 6.1 | | |
| | MNR 6 R0.2 L15 | 50 | 15 | 0.20 | 2.8 | 6.1 | | 42 |
| | MNR 6 R0.2 L22 | 50 | 22 | 0.20 | 2.8 | 6.1 | | |
| | MNR 6 R0.2 L30 | 75 | 30 | 0.20 | 2.8 | 6.1 | | |
| 7.0 | MNR 7 R0.2 L22 | 60 | 22 | 0.20 | 3.3 | 7.1 | SHB...H7 | 45 |
| | MNR 7 R0.2 L30 | 60 | 30 | 0.20 | 3.3 | 7.1 | | |
| 8.0 | MNR 8 R0.2 L22 | 60 | 22 | 0.20 | 3.8 | 8.7 | SHB...H8 | 56 |
| | MNR 8 R0.2 L32 | 60 | 32 | 0.20 | 3.8 | 8.7 | | 65 |
| | MNR 8 R0.2 L32 | 75 | 32 | 0.20 | 3.8 | 8.7 | | |
| 10.0 | MNR10 R0.2 L35 | 75 | 35 | 0.20 | 4.8 | 10.1 | SHB...H10 | 85 |

MTR 微小徑車削鎢鋼內徑車刀




| D | ORDER NUMBER | L | L1 | R | F | MINIMUM DIAMETER | CUTTER BAR | PRICE |
|-----|-----------------|----|----|------|-----|------------------|------------|-------|
| 3.0 | MTR 2 R0.15 L5 | 50 | 5 | 0.15 | 0.8 | 2.1 | SHB...H3 | 21 |
| | MTR 2 R0.15 L10 | 50 | 10 | 0.15 | 0.8 | 2.1 | | |
| 3.0 | MTR 3 R0.15 L10 | 50 | 10 | 0.15 | 1.3 | 3.1 | SHB...H3 | 21 |
| | MTR 3 R0.15 L15 | 50 | 15 | 0.15 | 1.3 | 3.1 | | |
| | MTR 3 R0.2 L10 | 50 | 10 | 0.20 | 1.3 | 3.1 | | |
| | MTR 3 R0.2 L15 | 50 | 15 | 0.20 | 1.3 | 3.1 | | |
| 4.0 | MTR 4 R0.15 L10 | 50 | 10 | 0.15 | 1.7 | 4.1 | SHB...H4 | 22 |
| | MTR 4 R0.15 L15 | 50 | 15 | 0.15 | 1.7 | 4.1 | | |
| | MTR 4 R0.2 L22 | 50 | 22 | 0.20 | 1.7 | 4.1 | | |
| | MTR 4 R0.2 L10 | 50 | 10 | 0.20 | 1.7 | 4.1 | | |
| | MTR 4 R0.2 L15 | 50 | 15 | 0.20 | 1.7 | 4.1 | | |
| | MTR 4 R0.2 L22 | 50 | 22 | 0.20 | 1.7 | 4.1 | | |
| | MTR 4 R0.2 L30 | 75 | 30 | 0.20 | 1.7 | 4.1 | | 30 |

MTR 微小徑車削鎢鋼內徑車刀




| D | ORDER NUMBER | L | L1 | R | F | MINIMUM DIAMETER | CUTTER BAR | PRICE |
|------|-----------------|----|----|------|-----|------------------|------------|-------|
| 5.0 | MTR 5 R0.1 L15 | 50 | 15 | 0.10 | 2.1 | 5.1 | SHB...H5 | 34 |
| | MTR 5 R0.1 L22 | 50 | 22 | 0.10 | 2.1 | 5.1 | | |
| | MTR 5 R0.1 L30 | 76 | 30 | 0.10 | 2.1 | 5.1 | | 42 |
| | MTR 5 R0.2 L15 | 50 | 15 | 0.20 | 2.1 | 5.1 | | |
| | MTR 5 R0.2 L22 | 50 | 22 | 0.20 | 2.1 | 5.1 | | |
| | MTR 5 R0.2 L30 | 76 | 30 | 0.20 | 2.1 | 5.1 | | |
| 6.0 | MTR 6 R0.1 L15 | 50 | 15 | 0.10 | 2.8 | 6.1 | SHB...H6 | 36 |
| | MTR 6 R0.1 L22 | 50 | 22 | 0.10 | 2.8 | 6.1 | | |
| | MTR 6 R0.2 L15 | 50 | 15 | 0.20 | 2.8 | 6.1 | | |
| | MTR 6 R0.2 L22 | 75 | 22 | 0.20 | 2.8 | 6.1 | | 48 |
| | MTR 6 R0.2 L30 | 75 | 30 | 0.20 | 2.8 | 6.1 | | |
| 7.0 | MTR 7 R0.2 L22 | 60 | 22 | 0.20 | 3.3 | 7.1 | SHB...H7 | 45 |
| | MTR 7 R0.2 L30 | 60 | 30 | 0.20 | 3.3 | 7.1 | | |
| 8.0 | MTR 8 R0.2 L22 | 60 | 22 | 0.20 | 3.8 | 8.7 | SHB...H8 | 56 |
| | MTR 8 R0.2 L32 | 60 | 32 | 0.20 | 3.8 | 8.7 | | |
| | MTR 8 R0.2 L32 | 75 | 32 | 0.20 | 3.8 | 8.7 | | 65 |
| 10.0 | MTR 10 R0.2 L35 | 75 | 35 | 0.20 | 4.8 | 10.1 | SHB...H10 | 85 |

MUR 微小徑90度仿型鎢鋼內徑車刀





| D | ORDER NUMBER | L | L1 | R | H | F | MINIMUM DIAMETER | CUTTER BAR | PRICE |
|-----|-----------------|----|----|------|-----|-----|------------------|------------|-------|
| 3.0 | MUR 3 R0.1 L10 | 50 | 10 | 0.10 | 0.4 | 1.3 | 3.1 | SHB...H3 | 21 |
| | MUR 3 R0.1 L15 | 50 | 15 | 0.10 | 0.4 | 1.3 | 3.1 | | |
| 4.0 | MUR 4 R0.15 L10 | 50 | 10 | 0.15 | 0.5 | 1.7 | 4.1 | SHB...H4 | 22 |
| | MUR 4 R0.15 L15 | 50 | 15 | 0.15 | 0.5 | 1.7 | 4.1 | | |
| 5.0 | MUR 5 R0.15 L15 | 50 | 15 | 0.15 | 0.7 | 2.1 | 5.1 | SHB...H5 | 34 |
| | MUR 5 R0.15 L22 | 50 | 22 | 0.15 | 0.7 | 2.1 | 5.1 | | |
| 6.0 | MUR 6 R0.2 L15 | 50 | 15 | 0.20 | 0.9 | 2.8 | 6.1 | SHB...H6 | 36 |
| | MUR 6 R0.2 L22 | 50 | 22 | 0.20 | 0.9 | 2.8 | 6.1 | | |
| 8.0 | MUR 8 R0.2 L22 | 60 | 22 | 0.20 | 1.1 | 3.8 | 8.1 | SHB...H8 | 56 |

MQR 微小徑仿型和搪孔鎢鋼內徑車刀





| D | ORDER NUMBER | L | L1 | R | H | F | MINIMUM DIAMETER | CUTTER BAR | PRICE |
|-----|-----------------|----|----|------|-----|-----|------------------|------------|-------|
| 4.0 | MQR 4 R0.1 L22 | 50 | 22 | 0.10 | 0.8 | 1.8 | 4.1 | SHB...H4 | 22 |
| | MQR 4 R0.15 L10 | 50 | 10 | 0.15 | 0.8 | 1.8 | 4.1 | | |
| | MQR 4 R0.15 L15 | 50 | 15 | 0.15 | 0.8 | 1.8 | 4.1 | | |
| 5.0 | MQR 5 R0.2 L15 | 50 | 15 | 0.20 | 1.0 | 2.3 | 5.1 | SHB...H5 | 34 |
| | MQR 5 R0.2 L22 | 50 | 22 | 0.20 | 1.0 | 2.3 | 5.1 | | |
| 6.0 | MQR 6 R0.2 L15 | 50 | 15 | 0.20 | 1.4 | 2.8 | 6.1 | SHB...H6 | 36 |
| | MQR 6 R0.2 L22 | 50 | 22 | 0.20 | 1.4 | 2.8 | 6.1 | | |
| | MQR 6 R0.2 L30 | 75 | 30 | 0.20 | 1.4 | 2.8 | 6.1 | | 42 |
| 8.0 | MQR 8 R0.2 L22 | 60 | 22 | 0.20 | 1.6 | 3.8 | 8.1 | SHB...H8 | 56 |
| | MQR 8 R0.2 L27 | 60 | 27 | 0.20 | 2.0 | 3.8 | 8.1 | | |

MPR 微小徑仿型車削鎢鋼內徑車刀




| D | ORDER NUMBER | L | L1 | R | H | F | MINIMUM DIAMETER | CUTTER BAR | PRICE |
|-----|-----------------|----|----|------|-----|-----|------------------|------------|-------|
| 3.0 | MPR 2 R0.1 L10 | 50 | 10 | 0.10 | 0.5 | 0.8 | 2.1 | SHB...H3 | 21 |
| | MPR 2 R0.15 L5 | 50 | 5 | 0.15 | 0.5 | 0.8 | 2.1 | | |
| | MPR 2 R0.15 L10 | 50 | 10 | 0.15 | 0.5 | 0.8 | 2.1 | | |
| | MPR 2 R0.15 L15 | 50 | 15 | 0.15 | 0.5 | 0.8 | 2.1 | | |
| 3.0 | MPR 3 R0.15 L15 | 50 | 15 | 0.15 | 0.7 | 1.3 | 3.1 | SHB...H3 | 21 |
| | MPR 3 R0.15 L22 | 50 | 22 | 0.15 | 0.7 | 1.3 | 3.1 | | |
| | MPR 3 R0.2 L10 | 50 | 10 | 0.20 | 0.7 | 1.3 | 3.1 | | |
| | MPR 3 R0.2 L15 | 50 | 15 | 0.20 | 0.7 | 1.3 | 3.1 | | |
| 4.0 | MPR 4 R0.15 L10 | 50 | 10 | 0.15 | 0.8 | 1.7 | 4.1 | SHB...H3 | 22 |
| | MPR 4 R0.15 L15 | 50 | 15 | 0.15 | 0.8 | 1.7 | 4.1 | | |
| | MPR 4 R0.15 L22 | 50 | 22 | 0.15 | 0.8 | 1.7 | 4.1 | | |
| | MPR 4 R0.2 L10 | 50 | 10 | 0.20 | 0.8 | 1.7 | 4.1 | | |
| 4.0 | MPR 4 R0.2 L15 | 50 | 15 | 0.20 | 0.8 | 1.7 | 4.1 | SHB...H3 | 22 |
| | MPR 4 R0.2 L22 | 50 | 22 | 0.20 | 0.8 | 1.7 | 4.1 | | |

MPR 微小徑仿型車削鎢鋼內徑車刀




| D | ORDER NUMBER | L | L1 | R | H | F | MINIMUM DIAMETER | CUTTER BAR | PRICE |
|------|-----------------|----|----|------|-----|-----|------------------|------------|-------|
| 5.0 | MPR 5 R0.1 L22 | 50 | 22 | 0.10 | 1.2 | 2.1 | 5.1 | SHB...H5 | 34 |
| | MPR 5 R0.1 L30 | 75 | 30 | 0.10 | 1.2 | 2.1 | 5.1 | | 42 |
| | MPR 5 R0.2 L10 | 50 | 10 | 0.20 | 1.2 | 2.1 | 5.1 | | 34 |
| | MPR 5 R0.2 L15 | 50 | 15 | 0.20 | 1.2 | 2.1 | 5.1 | | |
| | MPR 5 R0.2 L22 | 50 | 22 | 0.20 | 1.2 | 2.1 | 5.1 | | 42 |
| | MPR 5 R0.2 L30 | 75 | 30 | 0.20 | 1.2 | 2.1 | 5.1 | | |
| 6.0 | MPR 6 R0.2 L15 | 50 | 15 | 0.20 | 1.4 | 2.8 | 6.1 | SHB...H6 | 36 |
| | MPR 6 R0.2 L22 | 50 | 22 | 0.20 | 1.4 | 2.8 | 6.1 | | 48 |
| | MPR 6 R0.2 L30 | 75 | 30 | 0.20 | 1.4 | 2.8 | 6.1 | | |
| 7.0 | MPR 7 R0.2 L22 | 60 | 22 | 0.20 | 1.5 | 3.3 | 7.1 | SHB...H7 | 45 |
| | MPR 7 R0.2 L30 | 60 | 30 | 0.20 | 1.5 | 3.3 | 7.1 | | |
| | MPR 7 R0.2 L35 | 60 | 35 | 0.20 | 1.5 | 3.3 | 7.1 | | |
| 8.0 | MPR 8 R0.2 L15 | 60 | 15 | 0.20 | 1.6 | 3.8 | 8.1 | SHB...H8 | 56 |
| | MPR 8 R0.2 L22 | 60 | 22 | 0.20 | 1.6 | 3.8 | 8.1 | | 65 |
| | MPR 8 R0.2 L35 | 75 | 35 | 0.20 | 1.6 | 3.8 | 8.1 | | |
| 10.0 | MPR 10 R0.2 L35 | 75 | 35 | 0.20 | 2.0 | 4.8 | 10.1 | SHB...H10 | 85 |

MKR 微小徑內徑圓鼻開槽鎢鋼內徑車刀



| D | ORDER NUMBER | L | L1 | a | PITCH | F | MINIMUM DIAMETER | CUTTER BAR | PRICE | |
|-----|-----------------|----|----|------|-------|-----|------------------|------------|----------|----|
| 4.0 | MKR 4 R0.5 L10 | 50 | 10 | 0.50 | 1.0 | 1.0 | 1.7 | 4.1 | SHB...H4 | 22 |
| | MKR 4 R0.75 L10 | 50 | 10 | 0.75 | 1.5 | 1.0 | 1.7 | 4.1 | | |
| 5.0 | MKR 5 R0.5 L15 | 50 | 15 | 0.50 | 1.0 | 1.2 | 2.3 | 5.1 | SHB...H5 | 34 |
| | MKR 5 R0.75 L15 | 50 | 15 | 0.75 | 1.5 | 1.2 | 2.3 | 5.1 | | |
| | MKR 5 R1.0 L15 | 50 | 15 | 1.00 | 2.0 | 1.2 | 2.3 | 5.1 | | |
| 6.0 | MKR 6 R0.5 L15 | 50 | 15 | 0.50 | 1.0 | 1.6 | 2.8 | 6.1 | SHB...H6 | 36 |
| | MKR 6 R0.75 L15 | 50 | 15 | 0.75 | 1.5 | 1.6 | 2.8 | 6.1 | | |
| | MKR 6 R1.0 L15 | 50 | 15 | 1.00 | 2.0 | 1.6 | 2.8 | 6.1 | | |
| 7.0 | MKR 7 R0.5 L15 | 60 | 15 | 0.50 | 1.0 | 2.5 | 3.3 | 7.1 | SHB...H7 | 45 |
| | MKR 7 R0.75 L15 | 60 | 15 | 0.75 | 1.5 | 2.5 | 3.3 | 7.1 | | |
| | MKR 7 R1.0 L15 | 60 | 15 | 1.00 | 2.0 | 2.5 | 3.3 | 7.1 | | |

MIR 微小徑內螺紋鎢鋼內徑車刀






MIR 55° 通用螺紋

| D | ORDER NUMBER | L | L1 | a | PITCH | | F | MINIMUM DIAMETER | CUTTER BAR | PRICE |
|-----|---------------|----|----|----|----------|------------|-----|------------------|------------|-------|
| | | | | | MM | TEETH/INCH | | | | |
| 3.0 | MIR 3 L15 A55 | 50 | 15 | 55 | 0.5-1.0 | 48-24 | 1.4 | 3.2 | SHB...H3 | 21 |
| 4.0 | MIR 4 L15 A55 | 50 | 15 | 55 | 0.5-1.1 | 48-24 | 1.8 | 4.1 | SHB...H4 | 22 |
| 5.0 | MIR 5 L15 A55 | 50 | 15 | 55 | 0.5-1.25 | 48-20 | 2.3 | 5.1 | SHB...H5 | 34 |
| | MIR 5 L22 A55 | 50 | 22 | 55 | 0.5-1.25 | 48-20 | 2.3 | 5.1 | | |
| 6.0 | MIR 6 L15 A55 | 50 | 15 | 55 | 0.5-1.5 | 48-16 | 2.6 | 6.0 | SHB...H6 | 36 |
| | MIR 6 L22 A55 | 50 | 22 | 55 | 0.5-1.6 | 48-16 | 2.6 | 6.0 | | |

MIR 60° 通用螺紋




| D | ORDER NUMBER | L | L1 | a | PITCH | | F | MINIMUM DIAMETER | CUTTER BAR | PRICE |
|-----|---------------|----|----|----|----------|------------|-----|------------------|------------|-------|
| | | | | | MM | TEETH/INCH | | | | |
| 3.0 | MIR 2 L8 A60 | 50 | 8 | 60 | 0.45-0.7 | 56-32 | 1.0 | 2.1 | SHB...H3 | 21 |
| 3.0 | MIR 3 L15 A60 | 50 | 15 | 60 | 0.7-1.0 | 32-24 | 1.4 | 3.2 | SHB...H3 | 21 |
| 4.0 | MIR 4 L15 A60 | 50 | 15 | 60 | 0.8-1.0 | 32-24 | 1.8 | 4.1 | SHB...H4 | 22 |
| 5.0 | MIR 5 L15 A60 | 50 | 15 | 60 | 1.0-1.25 | 24-20 | 2.3 | 5.1 | SHB...H5 | 34 |
| | MIR 5 L22 A60 | 50 | 22 | 60 | 1.0-1.25 | 24-20 | 2.3 | 5.1 | | |
| 6.0 | MIR 6 L15 A60 | 50 | 15 | 60 | 1.0-1.5 | 24-16 | 2.6 | 6.0 | SHB...H6 | 36 |
| | MIR 6 L22 A60 | 50 | 22 | 60 | 1.0-1.5 | 24-16 | 2.6 | 6.0 | | |
| 8.0 | MIR 8 L22 A60 | 60 | 22 | 60 | 1.0-2.0 | 24-13 | 3.6 | 8.0 | SHB...H8 | 56 |

MGR 微小徑開槽切削鎢鋼內徑車刀




| D | ORDER NUMBER | L | L1 | B | H | F | MINIMUM DIAMETE | CUTTER BAR | PRICE |
|-----|----------------|----|----|-----|-----|-----|-----------------|------------|-------|
| 3.0 | MGR 3 B0.7 L10 | 50 | 10 | 0.7 | 0.6 | 1.3 | 1.3 | SHB...H3 | 21 |
| | MGR 3 B1.0 L10 | 50 | 10 | 1.0 | 0.6 | 1.3 | 1.3 | | |
| 4.0 | MGR 4 B0.5 L10 | 50 | 10 | 0.5 | 0.5 | 1.7 | 4.1 | SHB...H4 | 22 |
| | MGR 4 B0.7 L10 | 50 | 10 | 0.7 | 0.6 | 1.7 | 4.1 | | |
| | MGR 4 B1.0 L10 | 50 | 10 | 1.0 | 1.0 | 1.7 | 4.1 | | |
| | MGR 4 B1.0 L15 | 50 | 15 | 1.0 | 1.0 | 1.7 | 4.1 | | |
| | MGR 4 B1.5 L10 | 50 | 10 | 1.5 | 1.0 | 1.7 | 4.1 | | |
| | MGR 4 B1.5 L15 | 50 | 15 | 1.5 | 1.0 | 2.3 | 5.1 | | |
| 5.0 | MGR 5 B1.0 L15 | 50 | 15 | 1.0 | 1.2 | 2.3 | 5.1 | SHB...H5 | 34 |
| | MGR 5 B1.0 L22 | 50 | 15 | 1.0 | 1.2 | 2.3 | 5.1 | | |
| | MGR 5 B1.5 L15 | 50 | 22 | 1.5 | 1.2 | 2.3 | 5.1 | | |
| | MGR 5 B1.5 L22 | 50 | 15 | 1.5 | 1.2 | 2.3 | 5.1 | | |
| | MGR 5 B2.0 L15 | 50 | 22 | 2.0 | 1.2 | 2.3 | 5.1 | | |
| | MGR 5 B2.0 L22 | 50 | 15 | 2.0 | 1.2 | 2.3 | 5.1 | | |
| 6.0 | MGR 6 B1.0 L15 | 50 | 22 | 1.0 | 1.4 | 2.8 | 6.1 | SHB...H6 | 36 |
| | MGR 6 B1.0 L22 | 50 | 15 | 1.0 | 1.4 | 2.8 | 6.1 | | |
| | MGR 6 B1.5 L15 | 50 | 22 | 1.5 | 1.4 | 2.8 | 6.1 | | |
| | MGR 6 B1.5 L22 | 50 | 15 | 1.5 | 1.4 | 2.8 | 6.1 | | |
| | MGR 6 B2.0 L15 | 50 | 22 | 2.0 | 1.4 | 2.8 | 6.1 | | |
| | MGR 6 B2.0 L22 | 50 | 15 | 2.0 | 1.4 | 2.8 | 6.1 | | |
| | MGR 6 B1.0 L27 | 50 | 17 | 1.0 | 1.8 | 2.8 | 6.1 | | |
| | MGR 6 B1.5 L27 | 50 | 17 | 1.5 | 1.8 | 2.8 | 6.1 | | |
| | MGR 6 B2.0 L27 | 50 | 17 | 2.0 | 1.8 | 2.8 | 6.1 | | |
| | MGR 6 B2.0 L27 | 50 | 17 | 2.0 | 1.8 | 2.8 | 6.1 | | |
| 7.0 | MGR 7 B1.0 L15 | 60 | 15 | 1.0 | 2.5 | 3.3 | 7.1 | SHB...H7 | 45 |
| | MGR 7 B1.0 L22 | 60 | 22 | 1.0 | 2.5 | 3.3 | 7.1 | | |
| | MGR 7 B1.0 L30 | 60 | 30 | 1.0 | 2.5 | 3.3 | 7.1 | | |
| | MGR 7 B1.5 L15 | 60 | 15 | 1.5 | 2.5 | 3.3 | 7.1 | | |
| | MGR 7 B1.5 L22 | 60 | 22 | 1.5 | 2.5 | 3.3 | 7.1 | | |
| | MGR 7 B1.5 L30 | 60 | 30 | 1.5 | 2.5 | 3.3 | 7.1 | | |
| | MGR 7 B2.0 L15 | 60 | 15 | 2.0 | 2.5 | 3.3 | 7.1 | | |
| | MGR 7 B2.0 L22 | 60 | 22 | 2.0 | 2.5 | 3.3 | 7.1 | | |
| | MGR 7 B2.0 L30 | 60 | 30 | 2.0 | 2.5 | 3.3 | 7.1 | | |
| 8.0 | MGR 8 B1.0 L22 | 60 | 22 | 1.0 | 1.7 | 3.8 | 8.1 | SHB...H8 | 56 |
| | MGR 8 B1.5 L22 | 60 | 22 | 1.5 | 1.7 | 3.8 | 8.1 | | |
| | MGR 8 B2.0 L22 | 60 | 22 | 2.0 | 2.6 | 3.8 | 8.1 | | |

MFR 微小徑端面銑削鎢鋼內徑車刀




| D | ORDER NUMBER | L | L1 | B | H | F | MINIMUM DIAMETE | CUTTER BAR | PRICE |
|-----|-----------------|----|----|------|-----|------|-----------------|------------|-------|
| 4.0 | MFR 4 B0.75 L15 | 50 | 15 | 0.75 | 1.2 | 1.95 | 5.0 | SHB...H4 | 22 |
| | MFR 4 B1.0 L15 | 50 | 15 | 1.0 | 1.5 | 1.95 | 5.0 | | |
| | MFR 4 B1.5 L15 | 50 | 15 | 1.5 | 2.8 | 2.45 | 5.0 | | |
| 5.0 | MFR 5 B0.75 L22 | 50 | 22 | 0.75 | 1.2 | 2.45 | 6.0 | SHB...H5 | 34 |
| | MFR 5 B1.0 L22 | 50 | 22 | 1.0 | 1.5 | 2.45 | 6.0 | | |
| | MFR 5 B1.5 L22 | 50 | 22 | 1.5 | 2.5 | 2.45 | 6.0 | | |
| | MFR 5 B2.0 L15 | 50 | 22 | 2.0 | 3.8 | 2.45 | 6.0 | | |
| 6.0 | MFR 6 B1.0 L22 | 50 | 22 | 1.0 | 1.5 | 2.95 | 8.0 | SHB...H6 | 36 |
| | MFR 6 B1.5 L22 | 50 | 22 | 1.5 | 2.5 | 2.95 | 8.0 | | |
| | MFR 6 B2.0 L22 | 50 | 22 | 2.0 | 3.0 | 2.95 | 8.0 | | |
| | MFR 6 B2.5 L22 | 50 | 22 | 2.5 | 3.8 | 2.95 | 8.0 | | |
| | MFR 6 B3.0 L30 | 75 | 30 | 3.0 | 6.0 | 2.95 | 8.0 | | 56 |
| 8.0 | MFR 8 B2.5 L22 | 60 | 22 | 2.5 | 3.5 | 3.95 | 10.0 | SHB...H8 | 56 |

MVR 微小徑深面切斷刀鎢鋼內徑車刀



| D | ORDER NUMBER | L | L1 | D | B | F | MINIMUM DIAMETER | CUTTER BAR | PRICE |
|-----|---------------|----|----|-----|-----|-----|------------------|------------|-------|
| 6.0 | MVR 6B2.0 L15 | 60 | 15 | 6.0 | 2.0 | 1.1 | 12 | SHB...H6 | 52 |
| | MVR 6B2.0 L22 | 60 | 22 | 6.0 | 2.0 | 1.1 | 12 | | |
| | MVR 6B2.5 L22 | 60 | 22 | 6.0 | 2.5 | 1.4 | 12 | | |
| 8.0 | MVR 8B2.5 L22 | 60 | 22 | 8.0 | 2.5 | 1.4 | 12 | SHB...H8 | 71 |
| | MVR 8B3.0 L27 | 60 | 27 | 8.0 | 3.0 | 1.6 | 15 | | |
| | MVR 8B3.0 L43 | 75 | 43 | 8.0 | 3.0 | 1.6 | 15 | | |
| | MVR 8B4.0 L43 | 75 | 43 | 8.0 | 4.0 | 2.1 | 20 | | |

MXR 微小徑後掃車削鎢鋼內徑車刀



| ORDER NUMBER | L | L1 | D | F | MINIMUM DIAMETER | CUTTER BAR | PRICE |
|--------------|----|----|-----|-----|------------------|------------|-------|
| MXR3R0.1 L15 | 50 | 15 | 3.0 | 1.3 | 3.1 | SHB...H3 | 22 |
| MXR4R0.1 L16 | 50 | 16 | 4.0 | 1.7 | 4.1 | SHB...H4 | 24 |
| MXR5R0.1 L20 | 50 | 20 | 5.0 | 2.1 | 5.1 | SHB...H5 | 38 |
| MXR6R0.1 L25 | 50 | 25 | 6.0 | 2.8 | 6.1 | SHB...H6 | 48 |
| MXR8R0.2 L30 | 60 | 30 | 8.0 | 3.8 | 8.1 | SHB...H8 | 65 |

SHB 內徑車刀套筒



| D | ORDER NUMBER | L | D | d | TORX WRENCH | CLAMP SCREWS | ADJUSTING SCREWS |
|------|--------------|----|----|----|-------------|--------------|------------------|
| 3.0 | SHB 0012 H3 | 98 | 12 | 12 | K25 | K24 | K35 |
| | SHB 0016 H3S | 75 | 16 | 20 | K25 | K25 | K355 |
| | SHB 0016 H3 | 98 | 16 | 20 | K25 | K25 | K35 |
| | SHB 0020 H3 | 98 | 20 | 20 | K25 | K25 | K35 |
| | SHB 0022 H3 | 98 | 22 | 22 | K25 | K25 | K35 |
| 4.0 | SHB 0012 H4 | 98 | 12 | 12 | K25 | K24 | K35 |
| | SHB 0016 H4S | 75 | 16 | 20 | K25 | K25 | K355 |
| | SHB 0016 H4 | 98 | 16 | 20 | K25 | K25 | K35 |
| | SHB 0020 H4 | 98 | 20 | 20 | K25 | K25 | K35 |
| | SHB 0022 H4 | 98 | 22 | 22 | K25 | K25 | K35 |
| 5.0 | SHB 0012 H5 | 98 | 12 | 12 | K25 | K24 | K355 |
| | SHB 0016 H5S | 75 | 16 | 20 | K25 | K25 | K35 |
| | SHB 0016 H5 | 98 | 16 | 20 | K25 | K25 | K35 |
| | SHB 0020 H5 | 98 | 20 | 20 | K25 | K25 | K35 |
| | SHB 0022 H5 | 98 | 22 | 22 | K25 | K25 | K355 |
| 6.0 | SHB 0016 H6S | 75 | 16 | 20 | K25 | K25 | K35 |
| | SHB 0016 H6 | 98 | 16 | 20 | K25 | K25 | K35 |
| | SHB 0020 H6 | 98 | 20 | 20 | K25 | K25 | K35 |
| | SHB 0022 H6 | 98 | 22 | 22 | K25 | K25 | K35 |
| 7.0 | SHB 0016 H7 | 98 | 16 | 20 | K25 | K25 | K35 |
| | SHB 0020 H7 | 98 | 20 | 20 | K25 | K25 | K35 |
| | SHB 0022 H7 | 98 | 22 | 22 | K25 | K25 | K35 |
| 8.0 | SHB 0016 H8 | 98 | 16 | 20 | K25 | K25 | K35 |
| | SHB 0020 H8 | 98 | 20 | 20 | K25 | K25 | K35 |
| | SHB 0022 H8 | 98 | 22 | 22 | K25 | K25 | K35 |
| 10.0 | SHB 0016 H10 | 98 | 16 | 20 | K25 | K25S | K35 |
| | SHB 0020 H10 | 98 | 20 | 20 | K25 | K25S | K35 |
| | SHB 0022 H10 | 98 | 22 | 22 | K25 | K25 | K35 |



ST. Wang

享展王企業有限公司

SHANG TZANG WANG ENTERPRISE CO.,LTD



高雄市前鎮區瑞西街148號



07-771-3225



07-725-1618



@qcq5052c



享展王企業有限公司



service@stwang.com.tw



享展王企業有限公司
SHANG TZANG WANG ENTERPRISE CO., LTD.